

MILLER
PADLOCKS
For The
Automobile Trade
Catalog No. 30

Free Download From www.Antique-Padlocks.com
1924
this document is not to be sold

Special Reprint Edition
Key Collectors International
Don Stewart, Executive Director
P.O. Box 9397 Phoenix, AZ 85068

MILLER LOCKS

For General Service . Recommended for the

AUTOMOBILE TRADE

Free Download From www.Antique-Padlocks.com
Catalog No. 30
this document is not to be sold

Established 1871

MILLER LOCK COMPANY

Padlocks, Night Latches, Cabinet Locks


PHILADELPHIA, PA., U. S. A.

CABLE ADDRESS
LOCKS PHILADELPHIA

CODE USED
A B C 5th EDITION

Printed in U.S.A.

MILLER LOCK COMPANY



Miller Lock Company Plant in Philadelphia

Here, raw steel and brass are made into salable, profitable merchandise—merchandise that has an important mission in the world.

Miller Locks have been on the market for fifty-three years.


From the first they have been made to unvarying standards of accuracy, strength and security.

The growth of the institution—from two or three men working in a rented room to a highly organized factory capable of producing a million locks a month—is based on its exacting standards of workmanship.

Today you see countless millions of Miller padlocks, those little units of concentrated might, protecting life and property in every corner of the globe.

So widespread is the demand for padlocks bearing this fine old Miller mark, that in America alone, there are twenty thousand stores through which flow a steady stream of thousands of Miller Locks every day.

PHILADELPHIA, U. S. A.



The Need for Better Protection Among Motorists

It is figured that over three hundred million dollars (\$300,000,000) worth of property was stolen by automobile thieves alone last year.

The Miller Lock Company has had a count made by representatives in all parts of the country of cars protected by locks as compared to those without. Out of thousands examined there were 54.1 per cent without lock protection of any kind. Is it any wonder that there is such great loss of automobile property?

The fifteen million automobiles and trucks now in operation call for several padlocks each—for spare tires, tool boxes, garage doors and other uses.

What the Law Says

People who complain about increasing dishonesty, or inefficient police force, ought to remember that unprotected autos and bicycles invite theft. What other kind of valuable property actually helps the thief escape?



MILLER LOCK COMPANY

Miller Padlocks Are One of the Most Profitable Lines You Can Handle, Because

1. There is a big and ready market—as referred to on the preceding page.
2. Miller padlocks give you quick turnover. This is brought about by several forces working together, as—the unmistakable quality and half century reputation of the locks themselves—efficient store display devices, *i. e.*, panels, stands and cartons—counter and window display cards, booklets, newspaper electros and other sales helps—National Consumer advertising in the *Saturday Evening Post*, *Country Gentleman*, etc.
3. Padlocks sold from Miller displays require little attention. Suggested re-sale prices are given on back of panels and stands. Re-ordering is easy. Miller locks are carried by leading jobbers everywhere.
4. The margin of profit is large. It averages better than fifty per cent.

What line could you stock that would give you as much profit on as small an investment?

PHILADELPHIA, U. S. A.

The 16 Leading Makes of Cars and the Most Suitable Padlocks for Each = 1924 =


<i>Make</i>	<i>Wood Wheels</i>	<i>Disc Wheels</i>
BUICK	44CS	41LS, 42, 44CS
CHANDLER	Any lock with chain	41, 41LS, 44CS, 86
CHEVROLET	40LS, 41LS, 44CS	8, 19, 40, 41
CLEVELAND	Any lock with chain	41, 41LS, 44CS, 86
DODGE	86 or 41 with chain	41, 41LS, 44CS, 86
DURANT	Any lock with chain	40, 41, 86
ESSEX	Any lock with chain	8, 86
FORD	44CS	41, 86
OLDSMOBILE	44CS	8, 44CS
OVERLAND	44CS	41, 86
STAR	41, 41LS, 44CS, 86	41, 41LS, 44CS, 86
STUDEBAKER	Any lock with chain	41, 41LS, 44CS, 86, 42
HUDSON	Any lock with chain	41, 86, 88
HUPMOBILE	44CS	41, 41LS, 44CS, 86
MAXWELL	41, 41LS, 44CS, 86	41, 41LS, 44CS, 86
NASH	41LS, 44CS	41, 41LS, 42, 44CS, 86

For garage doors use No. 7121 or No. 0650GXC.

There are dependable Miller Padlocks for every make of car.

Where it is desired to use Tire Lock with chain, we recommend No. 861 with covered chain.

MILLER LOCK COMPANY




No. 861 Tire Lock Chain

The flat link steel chain fits snugly around TIRES, FRAME, WHEEL, etc., and provides convenient and inexpensive protection against theft of CAR or SPARES. The chain is of standard length, 36 inches, and is heavier and more substantial than the average popular low-priced tire chain. The chain cover is of much higher quality than usually supplied on this price chain.


No. 19 is one of the best medium priced Miller padlocks, with snappy action, double locking shackle and the desirable Ward and Lever mechanism. The padlock is fastened to the chain by a special device, "patent applied for." This makes the chain, lock and cover one unit so there is no possibility of dropping or losing the padlock in changing tires, etc.

The illustration shows an effective store display. Most stores will have the necessary display bracket, but where lacking we will be glad to furnish the bracket at a cost price of fifteen cents each.

This item should show the average dealer a substantial profit.



PHILADELPHIA, U. S. A.



Free Download From www.Antique-Padlocks.com
 this document is not to be sold


No. K940 Padlock Assortment

Steel Panel Finished in Miller Green

The Rubber Covers help to prevent rattling or scratching. Padlocks with covers are quite the thing now and they sell quickly. The fact that they are new makes them a good item to feature.

Stock as follows: Two each Nos. K40, K40LS, K41, K41LS, K42, K44SS, K44CS—1 1/6 dozen padlocks in all. Padlocks are polished brass with nickel-plated steel shackles. Packed in individual carton with steel panel 9 1/4 inches x 21 inches and with brackets and screws for mounting. Shipping weight about 8 1/2 lbs. 12 or 24 cartons in a shipping case.


MILLER LOCK COMPANY



No. 40—Size $1\frac{1}{4}$ in. Case of cast brass polished. Shackle wrought steel, nickel plated. Weight per dozen, $1\frac{1}{2}$ lbs. Packed one dozen in box.

**No. 940
Refills**


Two each of these seven numbers are mounted on panel—fourteen padlocks in all




No. 40LS—Size $1\frac{1}{4}$ in. Case of cast brass, polished. Shackle nicked steel. Clearance of shackle $1\frac{1}{4}$ inches. Packed one dozen in box.




No. 41—Size $1\frac{1}{2}$ in. Case of cast brass, polished. Shackle wrought steel, nickel plated. Weight per dozen, 3 lbs. Packed one dozen in box.




No. 44SS—Size $1\frac{1}{4}$ in. Shackle opening $4\frac{1}{2}$ x $15/16$ in. Case of cast brass. Nicked steel shackle with milled ratchets. Sixteen key changes. Packed 1 lock in carton. 6 cartons in box. Weight per doz. $5-13/16$.



No. 41LS—Size $1\frac{1}{2}$ in. Case of cast brass. Shackle wrought steel, nickel plated. Length of shackle 13 inches. Packed one dozen in box.




No. 42—Size $2\frac{1}{8}$ in. Case cast brass, polished. Shackle wrought steel, nickel plated. Packed one-half dozen in box.



No. 44CS—Size $1\frac{1}{4}$ in. Case of cast brass. Rustless brass interior parts. Shackle nicked steel, with milled ratchets. Shackle opening $15/16$ in., adjustable from $\frac{3}{4}$ to $1\frac{1}{2}$ inches, inside dimensions, 16 key changes.

PHILADELPHIA, U.S.A.



Free Download From www.Antique-Padlocks.com
 this document is not to be sold

No. 940 Padlock Assortment

Steel Panel Finished in Miller Green


Consists of two each of seven different numbers—fourteen padlocks in all. Polished cast brass cases, with nickel plated steel shackles. In great demand in the AUTOMOBILE TRADE. An attractive display assortment that creates more sales and earns greater profits.

Stocks as follows: Two each of Nos. 40, 40LS, 41, 41LS, 42, 44SS, 44CS. 1½ doz. padlocks in all. Packed in individual carton with steel panel, 9¼" x 21", hinges and screws for mounting. Shipping weight about 8 lbs. 12 or 24 cartons in a shipping case.


K940—Same as above, except padlocks are fitted with rubber covers. See page 7.

MILLER LOCK COMPANY


No. 950 Refills




No. 44CS—Size 1½ in. Case of cast brass. Rustless brass interior parts. Shackle nickel plated steel, with milled ratchets. Shackle opening 15/16 in., adjustable from ¾ to 1½ inches, inside dimensions, 16 key changes.




No. 41—Size 1½ in. Case of cast brass, polished. Shackle wrought steel, nickel plated. Weight per dozen, 3 lbs. Packed one dozen in box.



No. 40—Size 1½ in. Case of cast brass, polished. Shackle wrought steel, nickel plated. Weight per dozen, 1½ lbs. Packed one dozen in box.




No. 8—Size 1½ in. Case extra thick steel, enameled black. Shackle malleable, brass plated. Escutcheon steel, brass plated. Twelve changes. Packed one-half dozen in box.




No. 86—Size 1½ in. Secure levers. Case heavy cast bronze, polished. Shackle forged steel, hardened, rust-proof finish. Brass parts, 144 changes. Packed one-half dozen in box.




No. 19—Size 1½ in. Case steel, enameled black. Shackle malleable, nickel plated; locks at both ends. Twelve changes. Packed one dozen in box.




No. 40LS—Size 1½ in. Case of cast brass, polished. Shackle nickel plated steel. Clearance of shackle 1½ inches. Packed one dozen in box.




No. 88—Size 1½ in. Case extra thick steel, enameled black. Shackle malleable, brass plated. Escutcheon steel, brass plated. Twelve changes. Packed one-half dozen in box.




No. 41LS—Size 1½ in. Case of cast brass. Shackle wrought steel, nickel plated. Length of shackle 1½ inches. Packed one dozen in box.



No. 44SS—Size 1½ in. Shackle opening 4½ x 15/16 in. Case of cast brass. Nickel plated steel shackle with milled ratchets. Sixteen key changes. Packed 1 lock in carton, 6 cartons in box. Weight per doz. 5-13/16.




No. 7121—Size 2½ in. Case of carbon steel. Hardened steel shackle. Brass escutcheon plates. Indestructible, unpickable. Six lever. Unlimited key changes. Packed 1 lock in carton, 6 cartons in box. Weight per dozen, 10 lbs.



No. 0650GXC—Size 2 in. Case galvanized steel. Round shackle, galvanized. Eight inch galvanized chain, 144 key changes. Packed ½ dozen in box.

PHILADELPHIA, U. S. A.



Free Download From www.Antique-Padlocks.com
 this document is not to be sold

No. 950 Panel Assortment

Steel Panel Finished in Miller Green

A small and very popular assortment, made up of padlocks of a greatly diversified character, ranging from small general service locks to heavy duty types of unusual strength and security. Several are particularly suited for use on or about an AUTOMOBILE; others are designed for use around the HOUSE, GARAGE, FARM or SHOP.

Consists of two each of Nos. 44CS and 40, and one each of Nos. 41, 8, 86, 19, 40LS, 88, 41LS, 44SS, 7121 and 0650GXC. Packed in cartons with steel panel $9\frac{1}{4}'' \times 21''$. Shipping weight about 8 lbs. 12 or 24 cartons in shipping case.

MILLER LOCK COMPANY

METAL DISPLAY STAND

Finished in Miller Green With Gold Border. Easel Back



No. 694 Padlock Assortment

Consists of one dozen padlocks—listed below as shown on Display Stand.


No.	No.	No.	No.
K40	K41	K41	K40
K40LS	K41LS	K41LS	K40LS
K41LS	K42	K42	K41LS

 Packed one assortment in box. Legal weight (box and contents) $3\frac{1}{4}$ lbs. Net weight of locks $2\frac{1}{4}$ lbs. Standard case lots—48 assortments. Each of the padlocks in the No. 694 assortment is fitted with a durable rubber cover. See page No. 13.

PHILADELPHIA, U.S.A.



Patent Applied For
Cut Actual Size



Patent Applied For
Cut Actual Size


Special Padlock Covers

Miller Padlock Covers are often found to be a great convenience. They are especially desirable for padlocks used on AUTOMOBILES. They protect the fine finish of the car from scratching or chipping. They help keep dust and dirt from the lock mechanism. Rattling is prevented; and they minimize the danger of anyone tampering with the lock.


The cover shown at the left above is of fine grained pliable leather with convenient snap and is supplied with Padlocks Nos. 66, 86, 0197, and 0850G.

The cover illustrated on padlock at right above is made of rubber and is supplied with locks Nos. 40, 40LS, 41, 41LS, 42, 44, 44CS and 44SS.

When ordering padlocks with covers, signify by putting letter K before each number, as No. K86.



MILLER LOCK COMPANY



Cut
Actual
Size

No. 44 Cast Brass


A ratchet shackle padlock for general service. Recommended for LOCKING SPARE WHEELS AND TIRES. Particularly suitable where shackle must pass through small opening and where a close tight fit to prevent rattling is desired. Adjustment of shackle opening— $\frac{1}{2}$ inch to 2 inches.

CONSTRUCTION—Polished brass case. Brass interior parts. Nickeled steel shackle with milled ratchets.

KEYS—2 corrugated steel, nickeled keys. 16 key changes. No. 44CS key blank.

SIZE AND WEIGHT—Size $1\frac{3}{4}$ inches. Weight per dozen $4\frac{1}{16}$ lbs. Packed one dozen in box. Standard case lot—25 dozen.

No. K44—Above fitted with rubber cover.



PHILADELPHIA, U. S. A.

No. 44SS Cast Brass


A many purpose padlock but recommended especially for bags, BICYCLES, MOTORCYCLES and AUTOMOBILES. Can be adjusted to several positions. It is a sturdy, well built lock, capable of standing hard usage. Will not rust.

CONSTRUCTION—Brass case and interior parts. Nickered steel shackle with milled ratchets.

KEYS—Two corrugated steel, nickered keys to each lock. 16 key changes. For blanks use key blank No. 44.


SIZE AND WEIGHT—Size $1\frac{3}{4}$ inches. Shackle opening, $4\frac{1}{2} \times 1\frac{5}{16}$ inches, adjustable to one inch. Weight per dozen, $5\frac{13}{16}$ lbs. Packed 1 lock to carton, 6 cartons to box. Standard case lot—25 dozen.

No. K44SS—Above, fitted with rubber cover.



Cut Actual Size

MILLER LOCK COMPANY



Free Download From www.Antique-Padlocks.com
 Cut Actual Size

this document is not to be sold

No. 42 Cast Brass


A very handy size of this Miller group of padlocks. It is particularly well adapted for use in locking doors of barns, sheds, chicken coops, cellars, GARAGES, SPARE TIRES, etc. Strongly made, it provides ample security at no great cost.

CONSTRUCTION—Cast brass case, polished. Wrought steel shackle, nickel-plated.


KEYS—2 steel, nicked keys to each lock. 6 key changes. No. 42 key blank.

SIZE AND WEIGHT—Size $2\frac{1}{8}$ inches. Weight per dozen $4\frac{3}{4}$ lbs. Packed $\frac{1}{2}$ dozen to box. Standard case lot—25 dozen.


No. K42—Above, fitted with rubber cover.



PHILADELPHIA, U. S. A.



Cut Actual Size



Cut Actual Size

No. 40**Cast Brass****No. 40LS**


The automobile trade offers a wide-open market for locks of this type. But sales are by no means limited to the car owner for these particular models may be used any place where a small, dependable padlock is required. The No. 40LS (long shackle) offers an extra size shackle opening.

CONSTRUCTION—Cast brass case, polished. Wrought steel shackle, nickel-plated and extra long.



KEYS—2 steel, nicked keys to each lock. 6 key changes. For key blanks use No. 40.

SIZE AND WEIGHT—Size $1\frac{1}{4}$ inches. Weight per dozen, No. 40 $1\frac{1}{2}$ lbs., No. 40LS $1\frac{3}{8}$ lbs. Packed 1 dozen to box. Standard case lot—50 dozen.

Nos. K40 and K40LS—As above, both fitted with rubber cover.



MILLER LOCK COMPANY


**No. 41****Cast Brass****No. 41LS**

A handsome lock of medium size and moderate price that is one of the best selling brass padlocks on the market today. Made with the sound, careful workmanship that is necessary if a lock is to give full length of service. Nothing finer for display in your store or window. Widely used in AUTOMOBILE FIELD. No. 41LS extra length shackle. CONSTRUCTION—Cast brass case, polished. Wrought steel shackle, nickel-plated.


KEYS—2 steel, nicked keys. 6 key changes. Use blank No. 41.

SIZE AND WEIGHT—Size $1\frac{3}{8}$ inches. Weight per dozen, No. 41 3 lbs., No. 41LS $3\frac{1}{8}$ lbs. No. 41 packed 1 dozen in display container. See opposite page. Standard case lot—50 dozen.

Nos. K41 and K41LS—As above, both fitted with rubber cover. No. 41LS packed 1 dozen to box.




PHILADELPHIA, U. S. A.

**No. 41 Cast Brass Padlocks****In Counter Display Carton**

Another MILLER INNOVATION. Starts selling as soon as you open the carton and put it on the counter. Saves time, so you can serve more customers. Miller padlocks are backed up by National Consumer Advertising and offer you a rapid turn-over and big profit. No. 41 is packed one dozen in display carton. It and three other of our most popular padlocks shown on pages immediately following, are packed in these modern display containers. There is no extra charge for this special packing. You cannot afford to be without a good stock of these profitable items. For full description of No. 41 Padlock see opposite page.

MILLER LOCK COMPANY



Cut
Actual
Size

No. 44CS Cast Brass


A sturdy padlock for many purposes. Indispensable for Buick, Ford, Overland, Chevrolet and other leading makes of cars, as the shackle is closed in to fit lugs on TIRE CARRIERS, thus giving the strength of a large lock with a reduced shackle opening.

CONSTRUCTION—Brass case and interior parts. Nickel-plated steel shackle with milled ratchets.


KEYS—2 corrugated steel, nickel-plated keys to a lock. 16 key changes. For key blanks use No. 44CS.

SIZE AND WEIGHT—Size $1\frac{3}{4}$ inches. Shackle opening, $1\frac{1}{2}$ -inch adjustable to $\frac{7}{8}$ -inch. Weight per dozen, $4\frac{1}{16}$ lbs. Packed one dozen in display container. Standard case lot—25 dozen.

No. K44CS—Above, fitted with rubber cover.



PHILADELPHIA, U.S.A.




Free Download From www.Antique-Padlocks.com
 this document is not to be sold

No. 44CS Cast Brass Padlocks

In Counter Display Carton

You are interested in more customers and in more sales to each customer. This colorful package commands attention and stimulates purchasing. Will help to make your sales average higher for each customer. No. 44CS is packed one dozen in a display carton, no extra charge. A padlock that is in great demand for LOCKING SPARE TIRES and WHEELS. For full description of No. 44CS see opposite page.

MILLER LOCK COMPANY



Cut Actual Size

No. 86 Cast Bronze Secure Lever

To the customer who says, "I want a small padlock that will successfully withstand every attempt to pick, file, or force open," give him this. It has every good quality a secure padlock should have. It is one of the strongest and most enduring of the smaller Miller padlocks. Mechanism protected by patented shackle ejector which keeps out dust and dirt when unlocked. Specially packed. See opposite page.


CONSTRUCTION—Heavy cast bronze case, highly polished. Brass interior parts. Extra heavy Secure Levers. Hardened, forged steel shackle. For bronze shackle see No. 817.

KEYS—2 extra heavy nickel-plated, flat steel keys with each lock. 144 key changes. More if desired. Master-keyed at additional cost. For key blanks use No. 816.


SIZE AND WEIGHT—Size 1¾ inches. Weight per dozen 3¾ lbs. Packed one half dozen in display container. Standard case lot—12 dozen.

No. K86—Above, fitted with leather cover.

No. 66—Above, except in 2½ in. size.



PHILADELPHIA, U.S.A.




Free Download From www.Antique-Padlocks.com
this document is not to be sold

No. 86 Cast Bronze Secure Lever Padlocks

In Counter Display Carton

To stimulate padlock business, set this handsome carton on your counter, near your cash register. It cannot fail to give your sales a boost. To put package into operation simply lift top, raise bottom, drop wings into slots provided and tear off excess portion of lid along perforated line. No. 86 is packed with one-half dozen locks in display carton, no extra charge. You will find it a ready seller. For full description of No. 86 see opposite page.

MILLER LOCK COMPANY



Free Download From www.Antique-Padlocks.com

this document is not to be sold

Cut Actual Size

No. 7121 Secure Lever


The strongest padlock made. Excellent for garage doors.

CONSTRUCTION—Carbon Steel Case. Hardened steel shackle. Ebony finish. Brass plates reinforced by hardened steel armor plates protecting all interior mechanism. Six brass secure levers.


KEYS—Two nickel-plated corrugated steel keys to each lock. May be master-keyed with many changes. Use key blank No. 7121.

SIZE AND WEIGHT—Size 2 3/8 inches. Weight per dozen 10 lbs. Packed one-half dozen in display containers. Standard case lot—12 dozen.

No. 7121XC—Above, with 8 inches of No. 1-E ebony black chain.



PHILADELPHIA, U. S. A.




Free Download From www.AntiquePadlocks.com
this document is not to be sold

No. 7121 Secure Lever Padlocks
In Counter Display Carton

We predict that the new Miller Counter Display Cartons will materially increase your padlock sales—as rapidly as you give them a chance. This is the first time padlocks have been sold in this way. The new package is unusually effective in attracting purchasers. Order now from your jobber. The No. 7121 package illustrated above contains six padlocks—each packed in an individual box, no extra charge. This is the “ARMORED” padlock—the strongest made. For full description of No. 7121 see opposite page.

MILLER LOCK COMPANY



Cut Actual Size


No. 1XC Gun Metal "Champion" Six Lever

Recognized as the Standard Padlock of the world since 1871. The first great lock invention of Daniel K. Miller, the founder of this Company. Widely imitated. Has won a remarkable number of First Awards and Premiums at World's Fairs. For garage doors and other uses.


CONSTRUCTION—Extra heavy gun-metal case. Shackle, bronze. Interior parts brass with gun-metal springs.

KEYS—2 steel, nickel-plated keys with each lock. Unlimited key changes. Can be master-keyed. For key blanks use No. 1.

SIZE AND WEIGHT—Size 2¼ inches. Weight per dozen 7 lbs. Packed ½ dozen to box. Standard case lot—12 dozen.



PHILADELPHIA, U. S. A.



Cut Actual Size

No. 0197 Cast Brass


The round shackle permits the use of this lock on TIRE CARRIERS and other places where the square shackle would be too large to enter the opening. Won't clog with dust and dirt; will give secure protection and will stand up against the hardest kind of usage. A number that every automobile accessory and hardware store will find it profitable to stock and display.

CONSTRUCTION—Cast brass case. Highly polished and extra strong. Shackle malleable iron, bolted at both nose and heel. Ebony black finish.


KEYS—2 nickel-plated, flat steel keys to each lock. 12 key changes. Key blank No. 197.

SIZE AND WEIGHT—Size $1\frac{3}{4}$ inches. Weight per dozen $3\frac{7}{16}$ lbs. Packed $\frac{1}{2}$ dozen to box. Standard case lot—50 dozen.

No. K0197—Above, fitted with leather cover.



MILLER LOCK COMPANY



Cut Actual Size

No. 0850G Heavy Duty Secure Lever


To the average person a padlock is a padlock and that is all there is to it. But to the crook, the kind of individual who gets away with the SPARE TIRES when a car is left standing on the street for a short time, all padlocks are not padlocks—some are easy picking. This number is the kind of padlock that will give real protection.

CONSTRUCTION—Heavy wrought steel case, galvanized. Malleable shackle, galvanized. Secure lever mechanism. All brass interior parts.

KEYS—2 nickel-plated, flat steel keys. 144 key changes. Master-keyed if desired. Key blank No. 816.

SIZE AND WEIGHT—Size $1\frac{3}{4}$ inches. Weight per dozen $3\frac{1}{4}$ lbs. Packed $\frac{1}{2}$ dozen in box. Standard case lot—12 dozen.

No. K0850G—Above, fitted with leather cover.



PHILADELPHIA, U. S. A.



Cut Actual Size

No. 0650GXC

Heavy Duty Secure Lever


The modern watchman of property. A splendid lock for GARAGE DOORS. Master-keyed sets in units of 6, 12, 18 or 24 carried in stock ready for immediate delivery.

CONSTRUCTION—Case heavy wrought steel, galvanized. Shackle, malleable, galvanized. Brass interior parts. 8 inches No. 1-E chain.


KEYS—Two steel nicked keys. 144 key changes. May be master-keyed. Use No. 616 key blank.

SIZE AND WEIGHT—Size 2 inches. Weight per dozen 5½ lbs. Packed ½ dozen in box. Standard case lot—25 dozen.

No. 0650G—Above, no chain.



MILLER LOCK COMPANY



Cut Actual Size

No. 5441 Steel 6-Lever

"New Champion" Model

This padlock has a record of twenty-four years' popularity and an extra-value appeal that will catch the favor of the most critical customer. An inexpensive lock that gives genuine security.

CONSTRUCTION—Steel case, ebony black. Malleable shackle, nickel-plated. 6 Secure Levers with closely fitted springs of gun-metal. All brass interior parts.


KEYS—2 steel, nicked keys to each lock. 144 key changes. Extra key changes may be supplied. Master-keyed in series of 3,000 at additional cost. Key blank No. 5440.

SIZE AND WEIGHT—Size 2 inches. Weight per dozen $4\frac{5}{16}$ lbs. Packed $\frac{1}{2}$ dozen to box. Standard case lot—25 dozen.


No. 5438—As above, except case is brass. Malleable shackle, ebony black.

No. 5440—Case and shackle brass, buffed bright.

Any of above may be ordered with 8 inches of No. 3-E chain.



PHILADELPHIA, U. S. A.



No. 23 Padlock Eyes

Two in a Set

These heavy forged steel padlock eyes meet a decided need. Ordinarily the padlock holds securely enough—the weak point is the fastening device. The average staple and hasp used on doors is so light that very little resistance is offered to a determined thief.

Their extra strength and the fact that they are fastened on by screws that are inaccessible when the door is closed make these padlock eyes genuinely secure. They are especially adapted for garage doors and can be used with padlocks Nos. 7121, 66 and 0650GXC to best advantage. They are easy to put on—see illustration above.

SIZE AND WEIGHT—2½ inches by 3 inches. Finish, Miller ebony black. Weight, per set of two, 1½ lbs. Packed one set to a box; 6 sets in carton.



MILLER LOCK COMPANY

General Index

Better Protection, The Need for.....	3
Display Cartons	19, 21, 23, 25
History	2
Leading Makes of Cars, Padlocks for.....	5
Metal Display Stand.....	12
No. 861 Tire Lock Chain.....	6
Padlocks	14-30
Padlock Assortments and Refills.....	7-12
Padlock Covers	13
Padlock Eyes	31

Numerical Index

List Nos.	Page	List Nos.	Page
IXC	26	K86	22
8	10	86—In Display Carton.....	23
19	10	88	10
23—Eyes	31	694—Assortment	12
40	17	861—Tire Lock Chain.....	6
K40	17	940—Assortment	9
40LS	17	940—Refills	8
K40LS	17	K940—Assortment	7
41	18	950—Assortment	11
K41	18	950—Refills	10
41LS	18	0197	27
K41LS	18	K0197	27
41—In Display Carton.....	19	5438	30
42	16	5440	30
44	14	5441	30
K44	14	0650GXC	29
44SS	15	0650G	29
K44SS	15	0850G	28
44CS	20	K0850G	28
K44CS	20	7121	24
44CS—In Display Carton.....	21	7121XC	24
66	22	7121—In Display Carton.....	25
86	22		

Free Download From www.Antique-Padlocks.com
this document is not to be sold