

SARGENT

REG. U.S. PAT. OFF.

Locksmith Supplies

Free Download From www.Antique-Padlocks.com
this document is not to be sold

LOCKS AND HARDWARE




Cuts are half size

Numerically Arranged.

Zinc Plated Iron Keys

Zinc Plated Forged Steel Keys



211



211 3/4



335



336, 338

Blank for 336, 338

ZINC PLATED FORGED STEEL

ZINC DIE CAST



340

Blank for 341, 342



341



342



905

Blank for 906



906



919 Blank for 918 1/2, 920

935 Blank for 938, as 919 but not stamped Master



918 1/2



920

938 as 920 but not stamped Master



925 Blank for 926



926



930 Blank for 933

945 Blank for 948, as 930 but not stamped Master




933

948 as 933 but not stamped Master



975

Blank for 979



979



Keys

FOR CYLINDER LOCKS. NICKEL SILVER KEYS

Blank Cylinder Keys have the letter, designating the Key-Way, stamped in a diamond on the Key.
On Cut Keys the letter, designating the Key-Way, is prefixed to the figures which indicate the change.



257

Blank for 258



258



259

Blank for 260



260



261

Blank for 262



262



263

Blank for 264



264



265, 6265

265 Blank for 267



267, 6267

6267, Style of 267 for 6 Pin Cyl.



270, 6270

270, Blank for 272
6270, Blank for 6272



272, 6272

6272, Style of 272 for 6 Pin Cyl.



273, 6273

273, Blank for 274
6273, Blank for 6274



274, 6274

6274, Style of 274 for 6 Pin Cyl.



275, 6275

275, Blank for 277
6275, Blank for 6277



277, 6277

277, Same as 267, but used with Locks when Master Keyed.

6277, Style of 277 For 6 Pin Cyl.



278, 6278

278, Blank for 279
6278, Blank for 6279



279, 6279

6279, Style of 279 for 6 Pin Cyl.

In ordering Blank Keys above, specify number of Blank with letter of Key-Way desired, as illustrated on pages 103 and 104; thus, No. 278CA Keyway Letter designating keyway is stamped in a diamond on bow of key blank.


Blank Keys packed 1/4 gross in a box.



Furnished
On
Key Blanks

KEY - WAYS

DAY KEYS
257



For Padlocks
752, C, HS and HSC

DAY KEYS
259




259



MASTER
261

261

261



DAY KEYS
265
6265



In ordering Blank Keys specify number of Blank with letter of Keyway desired: thus, No. 278CA. Letter designating Keyway stamped in a diamond on bow of Key Blank.



Furnished on Key Blanks

KEY - WAYS

DAY KEYS

275
6275




MASTER

270
6270



270
6270




270
6270



DAY KEYS

275
6275




MASTER

270
6270



270
6270



270
6270



DAY KEYS

278
6278




MASTER

273
6273



273
6273



273
6273



In ordering Blank Keys specify number of Blank with letter of Keyway desired: thus, No. 278CA. Letter designating Keyway stamped in a diamond on bow of Key Blank.



Padlocks


CYLINDER

EXTRUDED BRASS, POLISHED CASE

Two Nickel Silver Keys. Practically Unlimited Changes. Five Pin Tumblers, except #756 Series Which Have Six Pins



752 &c.



752HSC &c.

| Numbers | | Case Inches | Brass Shackle | | | Key Number |
|---------------|--------------------------|-------------|-----------------|----------------|------|------------|
| Without Chain | With 9 Inch Bronze Chain | | Diameter Inches | Opening Inches | | |
| 752 | 752C | 1 1/2 | 5-16 | 3/4x5/8 | 260 | |
| 753 | 753C | 1 3/4 | 11-32 | 3/4x13/16 | 267 | |
| 754 | 754C | 2 | 11-32 | 11/32x15/16 | 267 | |
| 756 | 756C | 2 | 11-32 | 11/32x15/16 | 6267 | |

| Numbers | | Case Inches | Nickel Plated Carbo-Tempered Steel Shackle | | | Key Number |
|---------------|--------------------------|-------------|--|----------------|------|------------|
| Without Chain | With 9 Inch Bronze Chain | | Diameter Inches | Opening Inches | | |
| 752HS | 752HSC | 1 1/2 | 5-16 | 3/4x5/8 | 260 | |
| 753HS | 753HSC | 1 3/4 | 11-32 | 3/4x13/16 | 267 | |
| 754HS | 754HSC | 2 | 11-32 | 13/16x15/16 | 267 | |
| 756HS | 756HSC | 2 | 11-32 | 13/16x15/16 | 6267 | |

Each Padlock Individually Packaged

PACKING AND WEIGHTS

| Numbers | 752 752HS | 753 753HS | 754 754HS | 756 756HS | 753HS x 2 1/2" Shackle | 752C 752HSC | 753C 753HSC | 754C 754HSC | 756C 756HSC |
|---------------------|--------------|--------------|--------------|--------------|---------------------------|----------------|----------------|----------------|----------------|
| In Box (doz.) | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| Wt. Per Box (lbs.) | 2 1/4 | 4 | 5 1/4 | 5 1/4 | 5 1/4 | 3 | 4 1/2 | 6 3/4 | 6 3/4 |
| In Case (doz.) | 3 | 3 | 3 | ... | 3 | 3 | 3 | 3 | ... |
| Wt. Per Case (lbs.) | 15 | 27 | 33 | ... | 33 | 20 | 29 | 42 | ... |



Master Keyed

752, 752C, 752HS, 752HSC

753HS with 2 1/2" Shackle
Can be furnished with 2 1/2" Shackle - Order as 753HS x 2 1/2" Shackle

Can be furnished to order Master Keyed in sets of 1100 or less, all different with Master Key 262 to pass each set and Grand Master Key 264 to pass all.



753, 753C, 753HS, 753HSx2 1/2" Shackle, 753C, 753HSC
754, 754C, 754HS, 754HSC

Can be furnished to order Master Keyed in sets of practically any required number with Master Key (272) to pass each set and Grand Master Key (272) to pass all.

756, 756C, 756HS, 756HSC

Can be furnished Master Keyed. Grand Master Keyed as above using Master Key and Grand Master Key Number 6272.

Conforms to Government Specification FF-P-101-B

Nos. 752, 753, 754, 756 752HS, 753HS, 754HS, 756HS

Type No. EPE EPB